

Safety Data Sheet

SDS No.:

Padi Berat

1.1 Product Identifier	
Product Name:	Padi Berat
Trade Name:	Padi Berat
Active Ingredient:	Nitrogen, Phosphate, Potassium and other micro-nutrients
CAS No.(AI):	Please refer Section 3
Structural Formula:	-
Recommended Usage:	Plant nutrition
1.2 Supplier's Informatic	<u>on</u>
Address:	Agricultural Chemicals (M) Sdn. Bhd.
	962, Lorong Perusahaan 8
	Taman Perindustrian Perai
	13600 Perai , Pulau Pinang
	Malaysia
Tel.:	+6-04-3907988
Fax:	+6-04-3905703
Web:	www.agrichem.com.my
Emergency Phone:	+6-04-3907988
Section 2: Hazard Iden	tification
Section 2: Hazard Iden Classification:	tification Serious eye damage, category 1 Hazardous to the aquatic environment-chronic hazard, category 3
	Serious eye damage, category 1
Classification: Pictogram:	Serious eye damage, category 1
LClassification: Pictogram: Signal Word:	Serious eye damage, category 1 Hazardous to the aquatic environment-chronic hazard, category 3
LClassification: Pictogram: Signal Word:	Serious eye damage, category 1 Hazardous to the aquatic environment-chronic hazard, category 3 Comparison
L Classification: Pictogram: Signal Word: Hazard Statement:	Serious eye damage, category 1 Hazardous to the aquatic environment-chronic hazard, category 3
L Classification: Pictogram: Signal Word: Hazard Statement: H318 H412	Serious eye damage, category 1 Hazardous to the aquatic environment-chronic hazard, category 3 Danger Causes serious eye damage
L Classification: Pictogram: Signal Word: Hazard Statement: H318 H412	Serious eye damage, category 1 Hazardous to the aquatic environment-chronic hazard, category 3 Danger Causes serious eye damage
L Classification: Pictogram: Signal Word: Hazard Statement: H318 H412 Precautionary Statement:	Serious eye damage, category 1 Hazardous to the aquatic environment-chronic hazard, category 3 Oanger Causes serious eye damage Harmful to the aquatic life with long lasting effects
Classification: Pictogram: Signal Word: Hazard Statement: H318 H412 Precautionary Statement:	Serious eye damage, category 1 Hazardous to the aquatic environment-chronic hazard, category 3 Orient Serious Causes serious eye damage Harmful to the aquatic life with long lasting effects Wear rubber gloves, protective clothing, safety goggles and face
Classification: Pictogram: Signal Word: Hazard Statement: H318 H412 Precautionary Statement: P280	Serious eye damage, category 1 Hazardous to the aquatic environment-chronic hazard, category 3 Oanger Causes serious eye damage Harmful to the aquatic life with long lasting effects Wear rubber gloves, protective clothing, safety goggles and face protection



SDS No.: SDS-P/L-P/01 Revision: 1, 1st Issue Page 2 of 8

Padi Berat

P310 P501 Immediately call a POISON CENTER or doctor/physician Dispose of containers in accordance to Environmental Quality (Scheduled Waste) Regulations or any local regulations.

Section 3: Composition and Information of the Ingredients of the Hazardous Chemical

Component	CAS No.	Weight, %	Hazard Code
Ammonium	12054-85-2	< 0.01%	H302, H315, H319, H335
Molybdate			
Anticaking agent	-	<5%	H373
Boric Acid	10043-35-3	< 0.5%	H360FD
Buffer agent	-	< 0.5%	H319
Chelating agent	-	5 - 10%	H302, H318
Copper Sulphate	7758-99-8	< 0.1%	H302, H315, H319
Ferrous Sulphate	7782-63-0	< 2%	H302, H315, H319
Zinc Chloride	7646-85-7	< 0.5%	H302, H314, H318, H335, H373, H400, H410

*This product contains other materials which are not classified as hazardous under CLASS Regulations.

Call a POISON CENTER or doctor/physician if you feel unwell.

Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact:	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical
Eye Contact:	advice/attention. Wash contaminated clothing before reuse. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation
Ingestion:	persists: Get medical advice/attention. DO NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.
Symptoms: Notes to Physician:	No data available No data available

Section 5: Fire-fighting Measures

Suitable Extinguishing Media:	Water, carbon dioxide (CO ₂), chemical foam, dry chemical
Specific Hazard During Fire:	No data available
Special Protective Equipment:	Fire fighters should wear full-faced self-contained breathing
	apparatus and protective clothing.



Padi Berat

SDS No.: SDS-P/L-P/01 Revision: 1, 1st Issue Page 3 of 8

Section 6: Accidental Release Measures

Personal Precautions:	Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.
Environmental Precautions: Method for Cleaning Up:	Avoid release to the environment. Turn off all ignition sources. Wear protective clothing as indicated in Section 8. Evacuate non essential personnel. Absorb spills with inert material such as clay, sand, earth, sawdust etc. and collect in a drum. Cover up the contaminated area with household detergent and small amount of water. Brush the slurry and spread inert absorbents on the slurry liquid and collect the absorbed material in a drum. Seal drum and dispose of. Do not contaminate water resources.

Section 7: Handling and Storage

Precautions for Safe Handling:	Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid release to the environment.
Conditions for Safe Storage:	Store in a well ventilated place. Store away from combustible materials. Keep away from heat/sparks/open flames/hot surfaces - No smoking. Keep container tightly closed.
Incompatibles:	None known.

Section 8: Exposure Control and Personal Protection

Exposure Limit:

Source	Component	CAS No.	Limit	
	Ammonium	12054-85-2	Contains no substances with OEL value	
	Molybdate			
US (WEEL)	Anticaking	-	TWA	10mg/m ³
	agent			
ACGIH	Boric Acid	10043-35-3	TWA inhalable fraction	2mg/m ³
			STEL/ceiling inhalable fraction	6mg/m ³
ACGIH TLV	Buffer agent	-	No data	
	Chelating agent	-	TWA- 8hr	10mg/m ³
ACGIH TLV	Copper	7758-99-8	TWA	1mg/m ³
NIOSH	Sulphate		IDLH	100mg/m ³
IDLH			TWA	1mg/m ³
	Ferrous	7782-63-0	No data	
	Sulphate			

ACM	Safety Data Sheet	SDS No.: SDS-P/L-P/01
	Padi Berat	Revision: 1, 1 st Issue
	Faul Delat	Page 4 of 8

Source	Component	CAS No.		Limit
ACGIH TLV	Zinc Chloride	7646-85-7	TWA	1mg/m ³
			STEL	2mg/m ³
US.NIOSH			REL	1mg/m ³
			STEL	2mg/m ³
US.OSHA			PEL	1mg/m ³
			STEL	2mg/m ³
			TWA	1mg/m ³

Engineering Control: Individual Protection Measure:	Local exhaust ventilation Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.
Personal Protective Equipment:	
Eye Protection:	Protective goggles
Skin Protection:	Rubber gloves and boots
Respiratory Protection:	Respirator

Section 9: Physical and Chemical Properties

Appearance: Odour: Odour Threshold: pH: Melting/Freezing Point: Initial Boiling Point: Boiling Range: Flash Point: Evaporation Rate: Flammability: Upper Flammability Limit: Lower Flammability Limit: Vapour Pressure: Vapour Pressure: Vapour Density: Relative Density: Solubility in Water: Partition Coefficient P _{o/w} : Auto-ignition Tomporature:	Orangish viscous liquid Characteristic odour No data 5.0 No data No data Not ada Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable No data 1.36g/ml Soluble No data
Auto-ignition Temperature:	No data
Decomposition Temperature: Viscosity:	No data No data

Section 10: Stability and Reactivity

Reactivity:	No data
Chemical Stability:	The material is stable under normal storage condition
Hazardous Reaction:	No data
Condition to Avoid:	Direct sunlight, extreme temperature, open flame, sparks



SDS No.: SDS-P/L-P/01 Revision: 1, 1st Issue Page 5 of 8

Padi Berat

Incompatible Material: Hazardous Decomposition Product: Strong reducing agent, strong oxidizing agents

Carbon oxides, nitrogen oxides, sulfur oxides, phosphorous oxides, zinc oxides, hydrogen chloride

Section 11: Toxicological Information

11.1 Acute Toxicity

e
222mg/ltg
333mg/kg
12565mg/kg
11980mg/kg
3765mg/kg
> 2000mg/kg
> 2.03mg/L
5400mg/kg
> 2000mg/kg
1000 - 2000mg/kg
481mg/kg
> 1000mg/kg
319mg/kg
350mg/kg
1260mg/kg
1975mg/m ³



Padi Berat

11.2 Chronic Effect from Short and Long Term Exposure

Skin Contact:	Not classified as hazardous
Eye Contact:	Causes serious eye damage
Inhalation:	No data available
Ingestion:	No data available
Carcinogenicity:	No data available
Mutagenicity:	No data available
Teratogenecity:	No data available
- ,	

No data available

11.3 Symptoms

Section 12: Ecological Information

Component: Ammonium Molybdate		
Acute Toxicity:		
Onchorynchus mykiss, LC ₅₀ , 96hr	320mg/L	
Daphnia magna, EC_{50} , 48 hr	140mg/L	
Desmodesmus subspicatus, EC ₅₀ , 48 hr	41mg/L	
Component: Anticaking agent		
Acute Toxicity:		
Fathead minnow, LC₅0, 96hr	75200mg/L	
Water flea, EC ₅₀ , 24hr	> 10000mg/L	
Component: Boric Acid		
Acute Toxicity		
Fish, LC ₅₀ , 96 hr	74 - 725mg/L	
Aquatic invertebrates, EC ₅₀ , 48hr	45 - 1376mg/L	
Pseudokirchneriella subcapitata, EC ₅₀ , 72hr	40mg B/L	
Chronic Toxicity		
Fish, NOEC/EC ₁₀	2.89 - 16.65mg B/L	
Higher plants/Alga/Clorophita, NOEC/EC ₁₀	4 - 50mg B/L	
Crustacea/Amphibian, NOEC/EC ₁₀	5.67 - 40.62 mg B/L	
Aquatic micro-organisms, EC ₅₀ , 3hr	>175mg B/L	
Component: Buffer agent		
Acute Toxicity		
Fish (Leuciscus idus melanotus), LC ₅₀ , 48 hr	440mg/L	
Daphnia magna, static test, 24hr	1535mg/L	
Component: Chelating agent		
Acute Toxicity		
Fish (<i>Leuciscus idus</i>), LC ₅₀ , 96hr	> 500mg/L	
Component: Copper Sulphate		
Acute Toxicity		
Freshwater fish, LC ₅₀ , 96 hr	0.1mg/L	
Water flea, EC ₅₀ , 48hr	0.024mg/L	
Component: Ferrous Sulphate	No data	
Component: Zinc Chloride		

ACM	Safety Data Sheet	SDS No.: SDS-P/L-P/01
	Padi Berat	Revision: 1, 1 st Issue
		Page 7 of 8

Acute Toxicity		
Onchorynchus mykiss, LC50, 96hr	0.179-0.393mg/L	Mortality
<i>Lymnaea stagnalis,</i> EC ₅₀ , 6hr	64mg/L	Intoxication
<i>Callianassa australienses</i> , EC ₅₀ , 7d	1.61-2.45mg/L	Intoxication
<i>Callianassa australienses</i> , EC ₅₀ , 10d	1.38-1.71mg/L	Intoxication
<i>Callianassa australienses</i> , EC ₅₀ , 14d	0.97-1.22mg/L	Intoxication

Persistence and Degradability:	No data available
Bioaccumulative Potential:	No data available
Mobility in Soil:	No data available
Other Adverse Effect:	No data available

Section 13: Disposal Information

Dispose of contents/container to Kualiti Alam / authorized body by DOE.

Section 14: Transportation Information

Land (ADR/RID)	Not regulated
Sea (IMDG)	Not regulated
Air (IATA)	Not regulated

Section 15: Regulatory Information		
Classification:	Serious eye damage, category 1 Hazardous to the aquatic environment-chronic hazard, category 3	
Signal Word:	Danger	
Pictogram:		
Pesticides Act: Classification:	Not applicable Not applicable	



SDS No.: SDS-P/L-P/01 Revision: 1, 1st Issue Page 8 of 8

Padi Berat

Section 16: Other Information

Date of Preparation: Date of Revision: Reference Document: 15 December 2015 17 November 2016 ICOP on Chemicals Classification and Hazard Communication 2014 GHS Purple Book MSDS:

Material	Source	Date
Ammonium Molybdate Tetrahydrate	Columbus Chemical Industries	6/11/2012
Anticaking agent	Pharmco-Aaper	12.03.13
Boric Acid	SQM North America	Oct 2012
Buffer agent	Sigma Aldrich (M) Sdn Bhd	6/1/2015
Chelating agent	Orica Australia Pty Ltd,	21/10/2013
Copper Sulphate	Fisher Scientific	20 May 2014
Ferrous Sulphate Monohydrate	Kimleigh Chemicals SA Pty Ltd	14 Feb 2012
Zinc Chloride	Avantos Performance Material Inc	16/5/2014

Disclaimer: To the best of our knowledge, the information contained herein is accurate. However, we cannot assume any liability whatsoever for the accuracy or completeness of the information contained herein.